RESPONSE MICROWAVE, INC.

94 JACKSON ROAD, SUITE 110, DEVENS, MA 01434

Filters/Diplexers

Model RMDU.880-960.Nf **DUPLEXER, N Female**

SPECIFICATIONS

ITEM	Specification	
Pass Band	Up Link	Down Link
	880~915MHz	925~960MHz
Pass Band Insertion Loss	1.0dB Max.	
Pass Band Ripple	0.7dB Max.	
Pass Band Return Loss	15dB Min.	
Rejection	DC~845MHz 65dB Min. 925~2000MHz 75dB Min.	DC~915MHz 75dB Min. 1050~2000MHz 75dB Min.
Isolation (Up Link / Down Link)	75dB Min.	
Power Handling	50W CW	
Operating Temperature	-20° to +70℃	
Operating Humidity	0 to 95%	
Connector	N(F)	
Size	239.5 x 201.4 x 63.0 mm	
Finish	Black	

Telephone: 978-772-3767 **Fax: 978-772-3768**

www.responsemicrowave.com

Rev 2/22/10

94 JACKSON ROAD, SUITE 110, DEVENS, MA 01434



Telephone: 978-772-3767 **Fax: 978-772-3768**

www.responsemicrowave.com

94 JACKSON ROAD, SUITE 110, DEVENS, MA 01434



Telephone: 978-772-3767 **Fax: 978-772-3768**

www.responsemicrowave.com